



Date: 23<sup>rd</sup> April, 2021

**Corrigendum - Request for Proposal for Interior and Civil Works at Quality Council of India  
Head Office**

Corrigendum-I

This is with reference to the tender document “Request for Proposal for Interior and Civil Works at Quality Council of India Head Office ” with Ref No. QCI/0421/035 floated on April 9, 2021.

Below are the changes in mentioned clauses issued vide this corrigendum notification:

Note: The interior and Civil work needs to carried out on a part of the 2<sup>nd</sup> Floor of the Institution of Engineers Building, 2nd Floor, 2, Bahadur Shah Zafar Marg, New Delhi-110002. The total area where the work needs to be undertaken is 3250 ft approx.

**1. Tender Summary Clause no. 5 Page No. 2**

Submission of Bid:

Interested parties may send a copy of only the technical proposal in a password protected file in the PDF format to [procurement@qcin.org](mailto:procurement@qcin.org) and CC to [kanika.sethi@qcin.org](mailto:kanika.sethi@qcin.org) and [accounts@qcin.org](mailto:accounts@qcin.org) latest by 5 PM, April 30,2021.

If the proposal has already been submitted, requesting you to kindly submit the soft copy again to above email address.

**2. Annexure – A(Bill of Quantities) Page No. 15**

The below has been added to the BOQ:

Sl.No.	Description	Qty	Unit	Supply Rate	Installation Rate	Total Amount
	<b>PA System</b>			-		
1	Supply & Installation of 150W/100-0V/16-0 ohm with having a point of Mic & Audio with usb connectivity PA amplifier <b>Make:- Sony / Bosch .</b>	1.00	No			
2	Supply & installation of Michrophone with 3Mtr mounting cord with desktop stand and PTTS	1.00	No			



3	Supply and installation of 6W Ceiling Type speakers with Line matching transformer <b>Make:- Bosch / Ahuja</b>	20.00	Nos			
4	Supply and installation of local switches for volume control and switching off of speaker.	0.00	Nos			
5	Conduits for PA System 25mm dia FRLS PVC	150.00	Rmt			
6	Wiring of speakers with twin twinsted 40/36 copper cored audio grade wires in 20 mm PVC FRLS conduits fixed to underside of slab, complete	200.00	Rmt			
7	DVD player (As directed by client / Architect / Consultant) <b>Make:- Sony / Bosch</b> .with BR of Rs. 5000	1.00	No			
8	Voice Evacuation system with integration with Fire Panel <b>Make:- Sony / Bosch</b> .	0	NO			